




Durable.  
Stylish.  
That's All You Need.

# Surgical Saw Blades

Product Catalog






Saw Blades  
Compatible with  
DEPUY SYNTHES<sup>®</sup>




Brand Code **220**




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 130 090 089</b>	<b>220 130 090 090</b>	<b>220 130 090 100</b>	<b>220 130 090 119</b>	<b>220 130 090 120</b>
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 130 090 127</b>	<b>220 130 090 130</b>	<b>220 130 090 137</b>	<b>220 130 090 140</b>	<b>220 130 090 147</b>
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm



● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 130 090 150</b>
Thickness	1,50 mm




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 190 090 089</b>	<b>220 190 090 090</b>	<b>220 190 090 100</b>	<b>220 190 090 119</b>	<b>220 190 090 120</b>
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm

Depuy Synthes®


**Compatible Connections;**

Compact AirDrive II + Power Drive 511.800, 511.801, Air Power Line 511.610, Battery Power Line 530.610, TRS 05.001.224, 05.001.223, 05.001.240, Battery Power Line II 530.710




● Non Sterile  
● Sterile R

Ref	220 190 090 127	220 190 090 130	220 190 090 137	220 190 090 140	220 190 090 147
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm




● Non Sterile  
● Sterile R

Ref	220 190 090 150
Thickness	1,50 mm



● Non Sterile  
● Sterile R

Ref	220 190 100 089	220 190 100 090	220 190 100 100	220 190 100 119	220 190 100 120
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm




● Non Sterile  
● Sterile R

Ref	220 190 100 127	220 190 100 130	220 190 100 137	220 190 100 140	220 190 100 147
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm


All saw blades are shown in actual size. 1:1

● Non Sterile  
 ● Sterile R




**Ref** 220 190 100 150  
**Thickness** 1,50 mm

● Non Sterile  
 ● Sterile R




Ref	220 195 090 089	220 195 090 090	220 195 090 100	220 195 090 119	220 195 090 120
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm

● Non Sterile  
 ● Sterile R



Ref	220 195 090 127	220 195 090 130	220 195 090 137	220 195 090 140	220 195 090 147
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm


● Non Sterile  
 ● Sterile R



**Ref** 220 195 090 150  
**Thickness** 1,50 mm


**Compatible Connections;**

Compact AirDrive II + Power Drive 511.800, 511.801, Air Power Line 511.610, Battery Power Line 530.610, TR5 05.001.224, 05.001.223, 05.001.240, Battery Power Line II 530.710




● Non Sterile  
● Sterile R

<b>Ref</b>	<b>220 222 090 089</b>	<b>220 222 090 090</b>	<b>220 222 090 100</b>	<b>220 222 090 119</b>	<b>220 222 090 120</b>
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm




● Non Sterile  
● Sterile R

<b>Ref</b>	<b>220 222 090 127</b>	<b>220 222 090 130</b>	<b>220 222 090 137</b>	<b>220 222 090 140</b>	<b>220 222 090 147</b>
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm



● Non Sterile  
● Sterile R


<b>Ref</b>	<b>220 222 090 150</b>
Thickness	1,50 mm



● Non Sterile  
● Sterile R


<b>Ref</b>	<b>220 250 090 089</b>	<b>220 250 090 090</b>	<b>220 250 090 100</b>	<b>220 250 090 119</b>	<b>220 250 090 120</b>
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm

**Compatible Connections:**  
 Compact AirDrive II + Power Drive 511.800, 511.801, Air Power Line 511.610, Battery Power Line 530.610, TR5 05.001.224, 05.001.223, 05.001.240, Battery Power Line II 530.710




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 250 090 127</b>	<b>220 250 090 130</b>	<b>220 250 090 137</b>	<b>220 250 090 140</b>	<b>220 250 090 147</b>
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 250 090 150</b>
Thickness	1,50 mm



● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 254 090 089</b>	<b>220 254 090 090</b>	<b>220 254 090 100</b>	<b>220 254 090 119</b>	<b>220 254 090 120</b>
Thickness	0,89 mm	0,90 mm	1,00 mm	1,19 mm	1,20 mm




● Non Sterile  
 ● Sterile R

<b>Ref</b>	<b>220 254 090 127</b>	<b>220 254 090 130</b>	<b>220 254 090 137</b>	<b>220 254 090 140</b>	<b>220 254 090 147</b>
Thickness	1,27 mm	1,30 mm	1,37 mm	1,40 mm	1,47 mm

**Compatible Connections;**


Compact AirDrive II + Power Drive 511.800, 511.801, Air Power Line 511.610, Battery Power Line 530.610, TRS 05.001.224, 05.001.223, 05.001.240, Battery Power Line II 530.710



- Non Sterile
- Sterile R

**Ref**                    **220 254 090 150**


Thickness            1,50 mm



- Non Sterile
- Sterile R

**Ref**                    **220 070 025 060**


Thickness            0,60 mm



- Non Sterile
- Sterile R

**Ref**                    **220 140 020 060**

Thickness            0,60 mm




- Non Sterile
- Sterile R

**Ref**                    **220 130 060 090**


Thickness            0,90 mm






● Non Sterile  
 ● Sterile R

**Ref** 220 150 060 090  
 Thickness 0,90 mm



● Non Sterile  
 ● Sterile R

**Ref** 220 270 051 060  
 Thickness 0,60 mm



● Non Sterile  
 ● Sterile R

**Ref** 220 480 070 060  
 Thickness 0,60 mm

Depuy Synthes®


**Compatible Connections;**

Compact AirDrive II + Power Drive 511.800, 511.801, Air Power Line 511.610, Battery Power Line 530.610, TRS 05.001.224, 05.001.223, 05.001.240, Battery Power Line II 530.710




- Non Sterile
- Sterile R

<b>Ref</b>	<b>220 490 070 090</b>
Thickness	0,90 mm




● Non Sterile  
 ● Sterile R

Ref	220 125 089 090	220 125 089 100	220 125 089 120
Thickness	0,90 mm	1,00 mm	1,20 mm




● Non Sterile  
 ● Sterile R

Ref	220 125 077 090	220 125 077 100	220 125 077 120
Thickness	0,90 mm	1,00 mm	1,20 mm



● Non Sterile  
 ● Sterile R

Ref	220 120 067 090	220 120 067 100	220 120 067 110	220 120 067 120
Thickness	0,90 mm	1,00 mm	1,10 mm	1,20 mm



● Non Sterile  
 ● Sterile R


Ref	220 130 068 090	220 130 068 100	220 130 068 120
Thickness	0,90 mm	1,00 mm	1,20 mm



● Non Sterile  
● Sterile R

**Ref** 220 070 015 060


Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 050 018 060


Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 080 022 060

Thickness 0,60 mm




● Non Sterile  
● Sterile R

**Ref** 220 120 022 060


Thickness 0,60 mm

● Non Sterile  
● Sterile R




**Ref** 220 060 030 060  
Thickness 0,60 mm

● Non Sterile  
● Sterile R




**Ref** 220 100 030 060  
Thickness 0,60 mm

● Non Sterile  
● Sterile R




**Ref** 220 140 025 060  
Thickness 0,60 mm

● Non Sterile  
● Sterile R




**Ref** 220 100 025 060  
Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 198 050 060


Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 140 050 060


Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 270 048 060


Thickness 0,60 mm



● Non Sterile  
● Sterile R

**Ref** 220 145 050 060

Thickness 0,60 mm



-  Non Sterile
-  Sterile R

<b>Ref</b>	<b>220 270 050 060</b>
Thickness	0,60 mm



ACF Medikal Urunler Mak. San. ve Tic. Ltd. Sti.

Guzelyurt Mah. 5754 Sok. No: 3/A  
Yunusemre / Manisa, Turkey, 45030

+90 236 236 28 20

info@acf.com.tr

[www.acf.com.tr](http://www.acf.com.tr)



ACF.MR.03.EN.R07 20.09.2021