


# Surgical Saw Blades

## CATALOGUE

Accessible and Reliable







# Saw Blades Compatible with STRYKER<sup>®</sup>




Brand Code **120**




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 130 085 089	S 120 130 085 089	13 mm	85 mm	0,89 mm	0,89 mm	Straight
120 130 085 090	S 120 130 085 090	13 mm	85 mm	0,90 mm	0,90 mm	Straight
120 130 085 100	S 120 130 085 100	13 mm	85 mm	1,00 mm	1,00 mm	Straight
120 130 085 119	S 120 130 085 119	13 mm	85 mm	1,19 mm	1,19 mm	Straight
120 130 085 120	S 120 130 085 120	13 mm	85 mm	1,20 mm	1,20 mm	Straight
120 130 085 127	S 120 130 085 127	13 mm	85 mm	1,27 mm	1,27 mm	Straight
120 130 085 130	S 120 130 085 130	13 mm	85 mm	1,30 mm	1,30 mm	Straight
120 130 085 137	S 120 130 085 137	13 mm	85 mm	1,37 mm	1,37 mm	Straight
120 130 085 140	S 120 130 085 140	13 mm	85 mm	1,40 mm	1,40 mm	Straight
120 130 085 147	S 120 130 085 147	13 mm	85 mm	1,47 mm	1,47 mm	Straight
120 130 085 150	S 120 130 085 150	13 mm	85 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 130 090 089	S 120 130 090 089	13 mm	90 mm	0,89 mm	0,89 mm	Straight
120 130 090 090	S 120 130 090 090	13 mm	90 mm	0,90 mm	0,90 mm	Straight
120 130 090 100	S 120 130 090 100	13 mm	90 mm	1,00 mm	1,00 mm	Straight
120 130 090 119	S 120 130 090 119	13 mm	90 mm	1,19 mm	1,19 mm	Straight
120 130 090 120	S 120 130 090 120	13 mm	90 mm	1,20 mm	1,20 mm	Straight
120 130 090 127	S 120 130 090 127	13 mm	90 mm	1,27 mm	1,27 mm	Straight
120 130 090 130	S 120 130 090 130	13 mm	90 mm	1,30 mm	1,30 mm	Straight
120 130 090 137	S 120 130 090 137	13 mm	90 mm	1,37 mm	1,37 mm	Straight
120 130 090 140	S 120 130 090 140	13 mm	90 mm	1,40 mm	1,40 mm	Straight
120 130 090 147	S 120 130 090 147	13 mm	90 mm	1,47 mm	1,47 mm	Straight
120 130 090 150	S 120 130 090 150	13 mm	90 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 190 085 089	S 120 190 085 089	19 mm	85 mm	0,89 mm	0,89 mm	Straight
120 190 085 090	S 120 190 085 090	19 mm	85 mm	0,90 mm	0,90 mm	Straight
120 190 085 100	S 120 190 085 100	19 mm	85 mm	1,00 mm	1,00 mm	Straight
120 190 085 119	S 120 190 085 119	19 mm	85 mm	1,19 mm	1,19 mm	Straight
120 190 085 120	S 120 190 085 120	19 mm	85 mm	1,20 mm	1,20 mm	Straight
120 190 085 127	S 120 190 085 127	19 mm	85 mm	1,27 mm	1,27 mm	Straight
120 190 085 130	S 120 190 085 130	19 mm	85 mm	1,30 mm	1,30 mm	Straight
120 190 085 137	S 120 190 085 137	19 mm	85 mm	1,37 mm	1,37 mm	Straight
120 190 085 140	S 120 190 085 140	19 mm	85 mm	1,40 mm	1,40 mm	Straight
120 190 085 147	S 120 190 085 147	19 mm	85 mm	1,47 mm	1,47 mm	Straight
120 190 085 150	S 120 190 085 150	19 mm	85 mm	1,50 mm	1,50 mm	Straight



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 190 090 089	S 120 190 090 089	19 mm	90 mm	0,89 mm	0,89 mm	Straight
120 190 090 090	S 120 190 090 090	19 mm	90 mm	0,90 mm	0,90 mm	Straight
120 190 090 100	S 120 190 090 100	19 mm	90 mm	1,00 mm	1,00 mm	Straight
120 190 090 119	S 120 190 090 119	19 mm	90 mm	1,19 mm	1,19 mm	Straight
120 190 090 120	S 120 190 090 120	19 mm	90 mm	1,20 mm	1,20 mm	Straight
120 190 090 127	S 120 190 090 127	19 mm	90 mm	1,27 mm	1,27 mm	Straight
120 190 090 130	S 120 190 090 130	19 mm	90 mm	1,30 mm	1,30 mm	Straight
120 190 090 137	S 120 190 090 137	19 mm	90 mm	1,37 mm	1,37 mm	Straight
120 190 090 140	S 120 190 090 140	19 mm	90 mm	1,40 mm	1,40 mm	Straight
120 190 090 147	S 120 190 090 147	19 mm	90 mm	1,47 mm	1,47 mm	Straight
120 190 090 150	S 120 190 090 150	19 mm	90 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 190 070 120	S 120 190 070 120	19 mm	70 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 190 095 100	S 120 190 095 100	19 mm	95 mm	1,00 mm	1,00 mm	Straight
120 190 095 120	S 120 190 095 120	19 mm	95 mm	1,20 mm	1,20 mm	Straight
120 190 095 127	S 120 190 095 127	19 mm	95 mm	1,27 mm	1,27 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 190 100 089	S 120 190 100 089	19 mm	100 mm	0,89 mm	0,89 mm	Straight
120 190 100 090	S 120 190 100 090	19 mm	100 mm	0,90 mm	0,90 mm	Straight
120 190 100 100	S 120 190 100 100	19 mm	100 mm	1,00 mm	1,00 mm	Straight
120 190 100 119	S 120 190 100 119	19 mm	100 mm	1,19 mm	1,19 mm	Straight
120 190 100 120	S 120 190 100 120	19 mm	100 mm	1,20 mm	1,20 mm	Straight
120 190 100 127	S 120 190 100 127	19 mm	100 mm	1,27 mm	1,27 mm	Straight
120 190 100 130	S 120 190 100 130	19 mm	100 mm	1,30 mm	1,30 mm	Straight
120 190 100 137	S 120 190 100 137	19 mm	100 mm	1,37 mm	1,37 mm	Straight
120 190 100 140	S 120 190 100 140	19 mm	100 mm	1,40 mm	1,40 mm	Straight
120 190 100 147	S 120 190 100 147	19 mm	100 mm	1,47 mm	1,47 mm	Straight
120 190 100 150	S 120 190 100 150	19 mm	100 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 195 090 089	S 120 195 090 089	19,5 mm	90 mm	0,89 mm	0,89 mm	Straight
120 195 090 090	S 120 195 090 090	19,5 mm	90 mm	0,90 mm	0,90 mm	Straight
120 195 090 100	S 120 195 090 100	19,5 mm	90 mm	1,00 mm	1,00 mm	Straight
120 195 090 119	S 120 195 090 119	19,5 mm	90 mm	1,19 mm	1,19 mm	Straight
120 195 090 120	S 120 195 090 120	19,5 mm	90 mm	1,20 mm	1,20 mm	Straight
120 195 090 127	S 120 195 090 127	19,5 mm	90 mm	1,27 mm	1,27 mm	Straight
120 195 090 130	S 120 195 090 130	19,5 mm	90 mm	1,30 mm	1,30 mm	Straight
120 195 090 137	S 120 195 090 137	19,5 mm	90 mm	1,37 mm	1,37 mm	Straight
120 195 090 140	S 120 195 090 140	19,5 mm	90 mm	1,40 mm	1,40 mm	Straight
120 195 090 147	S 120 195 090 147	19,5 mm	90 mm	1,47 mm	1,47 mm	Straight
120 195 090 150	S 120 195 090 150	19,5 mm	90 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 220 090 089	S 120 220 090 089	22 mm	90 mm	0,89 mm	0,89 mm	Straight
120 220 090 090	S 120 220 090 090	22 mm	90 mm	0,90 mm	0,90 mm	Straight
120 220 090 100	S 120 220 090 100	22 mm	90 mm	1,00 mm	1,00 mm	Straight
120 220 090 119	S 120 220 090 119	22 mm	90 mm	1,19 mm	1,19 mm	Straight
120 220 090 120	S 120 220 090 120	22 mm	90 mm	1,20 mm	1,20 mm	Straight
120 220 090 127	S 120 220 090 127	22 mm	90 mm	1,27 mm	1,27 mm	Straight
120 220 090 130	S 120 220 090 130	22 mm	90 mm	1,30 mm	1,30 mm	Straight
120 220 090 137	S 120 220 090 137	22 mm	90 mm	1,37 mm	1,37 mm	Straight
120 220 090 140	S 120 220 090 140	22 mm	90 mm	1,40 mm	1,40 mm	Straight
120 220 090 147	S 120 220 090 147	22 mm	90 mm	1,47 mm	1,47 mm	Straight
120 220 090 150	S 120 220 090 150	22 mm	90 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 250 085 089	S 120 250 085 089	25 mm	85 mm	0,89 mm	0,89 mm	Straight
120 250 085 090	S 120 250 085 090	25 mm	85 mm	0,90 mm	0,90 mm	Straight
120 250 085 100	S 120 250 085 100	25 mm	85 mm	1,00 mm	1,00 mm	Straight
120 250 085 119	S 120 250 085 119	25 mm	85 mm	1,19 mm	1,19 mm	Straight
120 250 085 120	S 120 250 085 120	25 mm	85 mm	1,20 mm	1,20 mm	Straight
120 250 085 127	S 120 250 085 127	25 mm	85 mm	1,27 mm	1,27 mm	Straight
120 250 085 130	S 120 250 085 130	25 mm	85 mm	1,30 mm	1,30 mm	Straight
120 250 085 137	S 120 250 085 137	25 mm	85 mm	1,37 mm	1,37 mm	Straight
120 250 085 140	S 120 250 085 140	25 mm	85 mm	1,40 mm	1,40 mm	Straight
120 250 085 147	S 120 250 085 147	25 mm	85 mm	1,47 mm	1,47 mm	Straight
120 250 085 150	S 120 250 085 150	25 mm	85 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 250 090 089	S 120 250 090 089	25 mm	90 mm	0,89 mm	0,89 mm	Straight
120 250 090 090	S 120 250 090 090	25 mm	90 mm	0,90 mm	0,90 mm	Straight
120 250 090 100	S 120 250 090 100	25 mm	90 mm	1,00 mm	1,00 mm	Straight
120 250 090 119	S 120 250 090 119	25 mm	90 mm	1,19 mm	1,19 mm	Straight
120 250 090 120	S 120 250 090 120	25 mm	90 mm	1,20 mm	1,20 mm	Straight
120 250 090 127	S 120 250 090 127	25 mm	90 mm	1,27 mm	1,27 mm	Straight
120 250 090 130	S 120 250 090 130	25 mm	90 mm	1,30 mm	1,30 mm	Straight
120 250 090 137	S 120 250 090 137	25 mm	90 mm	1,37 mm	1,37 mm	Straight
120 250 090 140	S 120 250 090 140	25 mm	90 mm	1,40 mm	1,40 mm	Straight
120 250 090 147	S 120 250 090 147	25 mm	90 mm	1,47 mm	1,47 mm	Straight
120 250 090 150	S 120 250 090 150	25 mm	90 mm	1,50 mm	1,50 mm	Straight



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 254 090 089	S 120 254 090 089	25,4 mm	90 mm	0,89 mm	0,89 mm	Straight
120 254 090 090	S 120 254 090 090	25,4 mm	90 mm	0,90 mm	0,90 mm	Straight
120 254 090 100	S 120 254 090 100	25,4 mm	90 mm	1,00 mm	1,00 mm	Straight
120 254 090 119	S 120 254 090 119	25,4 mm	90 mm	1,19 mm	1,19 mm	Straight
120 254 090 120	S 120 254 090 120	25,4 mm	90 mm	1,20 mm	1,20 mm	Straight
120 254 090 127	S 120 254 090 127	25,4 mm	90 mm	1,27 mm	1,27 mm	Straight
120 254 090 130	S 120 254 090 130	25,4 mm	90 mm	1,30 mm	1,30 mm	Straight
120 254 090 137	S 120 254 090 137	25,4 mm	90 mm	1,37 mm	1,37 mm	Straight
120 254 090 140	S 120 254 090 140	25,4 mm	90 mm	1,40 mm	1,40 mm	Straight
120 254 090 147	S 120 254 090 147	25,4 mm	90 mm	1,47 mm	1,47 mm	Straight
120 254 090 150	S 120 254 090 150	25,4 mm	90 mm	1,50 mm	1,50 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 250 075 089	S 120 250 075 089	25 mm	75 mm	0,89 mm	0,89 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 250 095 100	S 120 250 095 100	25 mm	95 mm	1,00 mm	1,00 mm	Straight
120 250 095 120	S 120 250 095 120	25 mm	95 mm	1,20 mm	1,20 mm	Straight
120 250 095 127	S 120 250 095 127	25 mm	95 mm	1,27 mm	1,27 mm	Straight







NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 070 020 080	S 120 070 020 080	7 mm	20 mm	0,80 mm	0,80 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 020 060	S 120 090 020 060	9 mm	20 mm	0,60 mm	0,60 mm	Straight
120 090 020 090	S 120 090 020 090	9 mm	20 mm	0,90 mm	0,90 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 025 060	S 120 090 025 060	9 mm	25 mm	0,60 mm	0,60 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 035 060	S 120 090 035 060	9 mm	35 mm	0,60 mm	0,60 mm	Straight
X 120 090 035 060	SX 120 090 035 060	9 mm	35 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 150 035 060	S 120 150 035 060	15 mm	35 mm	0,60 mm	0,60 mm	Straight
X 120 150 035 060	SX 120 150 035 060	15 mm	35 mm	0,60 mm	0,80 mm	Cross
120 150 035 100	S 120 150 035 100	15 mm	35 mm	1,00 mm	1,00 mm	Straight
120 150 035 120	S 120 150 035 120	15 mm	35 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 150 030 120	S 120 150 030 120	15 mm	30 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 150 045 100	S 120 150 045 100	15 mm	45 mm	1,00 mm	1,00 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 270 058 060	S 120 270 058 060	27 mm	58 mm	0,60 mm	0,60 mm	Straight
X 120 270 058 060	SX 120 270 058 060	27 mm	58 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 300 032 060	S 120 300 032 060	30 mm	32 mm	0,60 mm	0,60 mm	Straight
X 120 300 032 060	SX 120 300 032 060	30 mm	32 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 405 475 060	S 120 405 475 060	40,5 mm	47,5 mm	0,60 mm	0,60 mm	Straight
X 120 405 475 060	SX 120 405 475 060	40,5 mm	47,5 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 530 032 060	S 120 530 032 060	53 mm	32 mm	0,60 mm	0,60 mm	Straight
X 120 530 032 060	SX 120 530 032 060	53 mm	32 mm	0,60 mm	0,80 mm	Cross


Stryker®

**Compatible Connections:**

Stryker System EHD(296-98),  
2000(2108), 54(4108), 55(4208),  
56(6208), 57(7208), 58(8208)




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 600 030 120	S 120 600 030 120	60 mm	30 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 800 025 060	S 120 800 025 060	80 mm	25 mm	0,60 mm	0,60 mm	Straight
X 120 800 025 060	SX 120 800 025 060	80 mm	25 mm	0,60 mm	0,80 mm	Cross


STRYKER®




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 060 032 060	S 120 060 032 060	6 mm	32 mm	0,60 mm	0,60 mm	Straight
X 120 060 032 060	SX 120 060 032 060	6 mm	32 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 060 060 060	S 120 060 060 060	6 mm	60 mm	0,60 mm	0,60 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 105 072 060	S 120 105 072 060	10,5 mm	72 mm	0,60 mm	0,60 mm	Straight
X 120 105 072 060	SX 120 105 072 060	10,5 mm	72 mm	0,60 mm	0,80 mm	Cross
120 105 072 090	S 120 105 072 090	10,5 mm	72 mm	0,90 mm	0,90 mm	Straight
120 105 072 100	S 120 105 072 100	10,5 mm	72 mm	1,00 mm	1,00 mm	Straight
120 105 072 120	S 120 105 072 120	10,5 mm	72 mm	1,20 mm	1,20 mm	Straight



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 105 077 060	S 120 105 077 060	10,5 mm	77 mm	0,60 mm	0,60 mm	Straight
X 120 105 077 060	SX 120 105 077 060	10,5 mm	77 mm	0,60 mm	0,80 mm	Cross
120 105 077 090	S 120 105 077 090	10,5 mm	77 mm	0,90 mm	0,90 mm	Straight
120 105 077 100	S 120 105 077 100	10,5 mm	77 mm	1,00 mm	1,00 mm	Straight
120 105 077 120	S 120 105 077 120	10,5 mm	77 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 125 068 090	S 120 125 068 090	12,5 mm	68 mm	0,90 mm	0,90 mm	Straight
120 125 068 100	S 120 125 068 100	12,5 mm	68 mm	1,00 mm	1,00 mm	Straight
120 125 068 120	S 120 125 068 120	12,5 mm	68 mm	1,20 mm	1,20 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 135 068 090	S 120 135 068 090	13,5 mm	68 mm	0,90 mm	0,90 mm	Straight
120 135 068 100	S 120 135 068 100	13,5 mm	68 mm	1,00 mm	1,00 mm	Straight
120 135 068 120	S 120 135 068 120	13,5 mm	68 mm	1,20 mm	1,20 mm	Straight

**Compatible Connections;**

TP55100-34 Sagittal Saw, TP55100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 025 018 060	5 120 025 018 060	2,5 mm	18 mm	0,60 mm	0,60 mm	Straight



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 050 012 060	5 120 050 012 060	5 mm	12 mm	0,60 mm	0,60 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 050 018 060	5 120 050 018 060	5 mm	18 mm	0,60 mm	0,60 mm	Straight




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 050 025 060	5 120 050 025 060	5 mm	25 mm	0,60 mm	0,60 mm	Straight

**Compatible Connections;**


TPS5100-34 Sagittal Saw, TPS5100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 070 015 040	S 120 070 015 040	7 mm	15 mm	0,40 mm	0,40 mm	Straight



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 070 018 060	S 120 070 018 060	7 mm	18 mm	0,60 mm	0,60 mm	Straight
X 120 070 018 060	SX 120 070 018 060	7 mm	18 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 070 025 060	S 120 070 025 060	7 mm	25 mm	0,60 mm	0,60 mm	Straight
X 120 070 025 060	SX 120 070 025 060	7 mm	25 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
X 120 080 022 030	SX 120 080 022 030	8 mm	22 mm	0,30 mm	0,40 mm	Cross




**Compatible Connections;**


TPS5100-34 Sagittal Saw, TPS5100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 080 025 060	S 120 080 025 060	8 mm	25 mm	0,60 mm	0,60 mm	Straight
X 120 080 025 060	SX 120 080 025 060	8 mm	25 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 080 035 060	S 120 080 035 060	8 mm	35 mm	0,60 mm	0,60 mm	Straight
X 120 080 035 060	SX 120 080 035 060	8 mm	35 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 012 060	S 120 090 012 060	9 mm	12 mm	0,60 mm	0,60 mm	Straight
X 120 090 012 060	SX 120 090 012 060	9 mm	12 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 018 060	S 120 090 018 060	9 mm	18 mm	0,60 mm	0,60 mm	Straight
X 120 090 018 060	SX 120 090 018 060	9 mm	18 mm	0,60 mm	0,80 mm	Cross

**Compatible Connections;**


TP55100-34 Sagittal Saw, TP55100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 090 024 040	S 120 090 024 040	9 mm	24 mm	0,40 mm	0,40 mm	Straight
X 120 090 024 040	SX 120 090 024 040	9 mm	24 mm	0,40 mm	0,60 mm	Cross
120 090 024 060	S 120 090 024 060	9 mm	24 mm	0,60 mm	0,60 mm	Straight
X 120 090 024 060	SX 120 090 024 060	9 mm	24 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
X 120 090 030 040	SX 120 090 030 040	9 mm	30 mm	0,40 mm	0,60 mm	Cross
120 090 030 060	S 120 090 030 060	9 mm	30 mm	0,60 mm	0,60 mm	Straight
X 120 090 030 060	SX 120 090 030 060	9 mm	30 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 100 025 060	S 120 100 025 060	10 mm	25 mm	0,60 mm	0,60 mm	Straight
X 120 100 025 060	SX 120 100 025 060	10 mm	25 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 100 031 030	S 120 100 031 030	10 mm	31 mm	0,30 mm	0,30 mm	Straight
X 120 100 031 030	SX 120 100 031 030	10 mm	31 mm	0,30 mm	0,40 mm	Cross

**Compatible Connections;**


TPS5100-34 Sagittal Saw, TPS5100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 100 035 060	S 120 100 035 060	10 mm	35 mm	0,60 mm	0,60 mm	Straight
X 120 100 035 060	SX 120 100 035 060	10 mm	35 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 100 050 040	S 120 100 050 040	10 mm	50mm	0,40 mm	0,40 mm	Straight
X 120 100 050 040	SX 120 100 050 040	10 mm	50mm	0,40 mm	0,60 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 120 031 060	S 120 120 031 060	12 mm	31 mm	0,60 mm	0,60 mm	Straight
X 120 120 031 060	SX 120 120 031 060	12 mm	31 mm	0,60 mm	0,80 mm	Cross




NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 130 035 040	S 120 130 035 040	13 mm	35 mm	0,40 mm	0,40 mm	Straight
120 130 035 060	S 120 130 035 060	13 mm	35 mm	0,60 mm	0,60 mm	Straight
X 120 130 035 060	SX 120 130 035 060	13 mm	35 mm	0,60 mm	0,80 mm	Cross

**Compatible Connections;**


TP55100-34 Sagittal Saw, TP55100-31 Oscillating Saw, Command2 2296-31, 2296-234, 2296-34, 2296-231, 2296-080-134, Cordless Driver 2+3+4 Att. 4100-400, Sabo Sagittal Saw 4300-034, Sabo 2 4408-000, Micro Bone Saw, Core 5400-34, 5400-31, NSK Primado, RemB Micro Power 6400-034, 6400-031, 4100-400



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 130 040 060	S 120 130 040 060	13 mm	40 mm	0,60 mm	0,60 mm	Straight
X 120 130 040 060	SX 120 130 040 060	13 mm	40 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
120 140 031 060	S 120 140 031 060	14 mm	31 mm	0,60 mm	0,60 mm	Straight
X 120 140 031 060	SX 120 140 031 060	14 mm	31 mm	0,60 mm	0,80 mm	Cross



NON-STERILE REF	STERILE REF	Cutting Edge	Cutting Depth	Material Thickness	Cutting Thickness	Teeth
X 120 200 050 040	SX 120 200 050 040	20 mm	50 mm	0,40 mm	0,60 mm	Cross



ACF Medikal Urunler Mak. San. ve Tic. Ltd. Sti.

Guzelyurt Mah. 5754 Sok. No: 3/A  
Yunusemre / Manisa, Turkey, 45030

+90 236 236 28 20

info@acf.com.tr

[www.acf.com.tr](http://www.acf.com.tr)